

| MM MM MM MMM MMMM MMMM MM MM MM MM MM MM | CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | RRRRRRRR RR RR RR RR RR RR RR RR RR RR RRRRRR | NN | ###################################### |
|---|--|---|--|--|
| CCCCCCC CCCCCCCCCCCCCCCCCCCCCCCCCCCCCC | | DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD | | |

Version:

'v04-000'

V03-014 MAJ0009 Melanie Johnson 02-Aug-1984 Pick up some little lost queue manager qualifiers (from DCLINT) for the STOP/QUEUE commands to make STOP/ABORT, etc. work again.

V03-013 MAJ0008 Melanie Johnson 11-Jul-1984 Change the misspelling of the ASN qualifier /GLOBAL to /GBL which is RSX-compatible and matches the documentation.

V03-012 DLB0002 David Ballenger 18-Apr-1984 Change ALLOCATE syntax to ALLOCATE /GENERIC DEV

V03-011 MAJ0007 Melanie Johnson 30-Mar-1984 Add /HANGUP, /FULL, and /BRIEF to BYE. Add /JOB to DEFINE and DEASSIGN. Eliminate privilege list - it's not needed here.

V03-010 DLB0001 David Ballenger 23-Mar-1984 Add /HANGUP qualifier to LOGOUT.

V03-009 MAJ0006 Melanie Johnson 25-Jul-1983 Fold new xlogical commands back into regular logical command names.

V03-008 MAJ0005 Melanie Johnson 22-Jun-1983
Add the x-logical commands for new logical name system service use. Remove all forms of the RUN command; use RUN.CLD instead.

V03-007 MAJ0004 Melanie Johnson 13-May-1983
Add MBX verb, undocumented & unsupported, for subprocesses only.
Eliminate G0TO and ON commands, which were part of the now obsolete imbedded indirect. Update privileges.

V03-006 PRB0175 Paul Beck 26-APR-1983 21:26:34 Add privileges TMPJNL and PRMJNL.

V03-005 PCA1008 Paul C. Anagnostopoulos 25-Mar-1983 Make all necessary changes for new CDU.

V03-004 PCA1008 Paul C. Anagnostopoulos 11 Feb 1983 Add the MCRPARSE flag to the ASN verb, so it is explicit.

V03-003 MAJ0003 Melanie Johnson 11-Feb-1983 Change OUTPUTS MCR(P1) to OUTPUTS (P1)

V03-002 MAJ0002 Melanie Johnson 07-Jan-1983 Add CANCEL, RESUME, RUN/CHECKPOINT, and RUN/RESTART.

V03-001 MAJ0001 Melanie Johnson 16-Dec-1982 Delete definition of HELP

```
E 11
16-SEP-1984 16:35:45.71 Page 2
MCRINT.CLD:1
define verb allocate
          cliroutine allocate
          prefix clisk_allo_
parameter p1,prompt='Device',value(required,list,type=$device)
parameter p2,prompt='Log name',value(type=$outlog)
          qualifier generic qualifier log
define syntax merge_queue
           image queman
define verb asn
          cliroutine assign
prefix clisk_assi
          cliflags(mcrparse)
          parameter p1,prompt='Device',value(type=$infile)
parameter p2,prompt='Log name',value(type=$outlog)
qualifier gbl
qualifier group
qualifier term
qualifier queue, syntax=merge_queue
          qualifier merge,
                                           syntax=merge_queue
          outputs (p1)
define verb bye
          cliroutine logout
          prefix clisk_logo_qualifier brief
          qualifier full
          qualifier hangup
define verb cancel
          cliroutine cancel
          parameter p1, label=p1, prompt='File', value(type=$process)
qualifier identification, value(required)
define verb continue
          SYNONYM C
          cliroutine continue
          cliflags(abbreviate, nostatus)
define syntax deallocate_all_devices
          noparameters
define verb deallocate
          cliroutine deallocat
          parameter pl.prompt='Device', value(required, type=$device)
          qualifier all, syntax=deallocate_all_devices
define syntax deassign_all_names
          noparameters
define verb deassign
          cliroutine deassign
```

```
F 11
16-SEP-1984 16:35:45.71 Page 3
MCRINT.CLD:1
          parameter p1.prompt="Log name".value(required.type=$inlog)
          qualifier system qualifier group qualifier job
                                                                           Must be #1.
                                                                          Must be #2.
Must be #3.
          qualifier process
                                                                           Must be #4.
          qualifier user mode qualifier supervisor mode
                                                                           Must be #5.
                                                                          Must be #6.
          qualifier executive mode
                                                                          Must be #7.
          qualifier table, value (required)
                                                                          Must be #8.
                                                                        Must be #9.
          qualifier all, syntax=deassign_all_names
define verb debug
          cliroutine debug
define type tran_attr
          keyword concealed
          keyword terminal
define type name_attr
          keyword confine
          keyword no_alias
define verb define
          cliroutine define
          prefix clisk_defi
          parameter pl.prompt='Log name', value(required, type=$outlog)
parameter p2.prompt='Equ name', value(required, type=$infile, list)
          qualifier system
                                                                          Must be #1.
          qualifier group qualifier Job
                                                                          Must be #2. Must be #3.
          qualifier process
                                                                          Must be #4.
          qualifier user_mode
                                                                          Must be #5.
          qualifier supervisor_mode
                                                                          Must be #6.
          qualifier executive_mode
                                                                          Must be #7.
          qualifier table, value (required)
                                                                          Must be #8.
          qualifier log
                                                                          Must be #9.
          qualifier name_attributes,
value(Type=name_attr,list)
qualifier translation_attributes,
                                                                        ! Must be #10.
                                                                        ! Must be #11.
                       placement=positional.
                       value(type=tran_attr,list)
  DEPOSIT uses the same qualifiers as EXAMINE, and they must appear
! in the same order.
define verb deposit
          cliroutine deposit
          cliflags(immediate, nostatus)
qualifier ascii, nonnegatable
          qualifier byte nonnegatable qualifier decimal nonnegatable qualifier hexadecimal nonnegatable
          qualifier long, nonnegatable qualifier octal, nonnegatable
          qualifier word, nonnegatable
```

```
G 11
16-SEP-1984 16:35:45.71 Page 4
MCRINT.CLD;1
define verb examine
         cliroutine examine
         prefix clisk_exam_
         cliflags(immēdiatē, nostatus)
qualifier ascii, nonnegatable
qualifier byte, nonnegatable
         qualifier decimal, nonnegatable qualifier hexadecimal, nonnegatable
         qualifier long, nonnegatable
         qualifier octal, nonnegatable
         qualifier word, nonnegatable
define verb exit
         cliroutine exit
         cliflags(immediate)
define verb logout
         cliroutine logout
         prefix clisk_logo_qualifier brief
         qualifier full
         qualifier hangup
define verb mbx
         cliroutine setmbx
         parameter p1,value(type=$device)
define verb resume
         cliroutine resume
         cliflags(immediate)
define syntax stop_queue
         image queman
         parameter p1,prompt='Queue'.value(required)
define syntax stop_queue_manager
         image queman
         noparameters
define verb stop
         cliroutine stop
         prefix clisk_stop_
parameter p1,prompt='Process',value(type=Sprocess)
         qualifier manager,
qualifier abort,
                                    nonnegatable, syntax=stop_queue_manager
                                     nonnegatable, syntax=stop_queue
         qualifier next,
                                     nonnegatable, syntax=stop_queue
         qualifier identification, nonnegatable, value (required)
         qualifier requeue,
                                     nonnegatable, value, syntax=stop_queue
         qualifier entry,
                                     nonnegatable, value (required), syntax=stop_queue
         qualifier priority,
                                     nonnegatable, value (required), syntax=stop_queue
         qualifier queue,
                                     nonnegatable, syntax=stop_queue
         qualifier hold,
                                     syntax=stop_queue
         qualifier reset,
                                     nonnegatable, syntax=stop_queue
define verb time
```

16-SEP-1984 16:35:45.71 Page 5 MCRINT.CLD:1 cliroutine showtime

0046 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

